





■ **Connector**



■ **LED variations**



Power - Stick T





LED - Tapes

LED 50
Picture

Product



Part number



LED 50, aluminum profile

5000mm



052.3099.XXX



LED 50, clamp profile
for insertion of price tags
(applications without heating)

2500mm



054.0565.086.2500



LED 50, cover profile acryl glass

2500mm


054.0531.087.2500



LED 35/50, support profile for LED tape



3000mm

050.0130.011.3000



LED 50, end cap right/left


443.3902.XXX



LED 50, end cap for side glass panes









right
left



443.3904.XXX
443.3905.XXX



LED 35/50, clip for LED Power-Stick S/T

045.1470.080

Picture	Product	Part number
	LED 35/50, clips for support profile for LED tape / LED Power-Stick T	045.1471.080
	LED 35/50, stopper for LED sticks	443.3900.000
	LED 35/50, fitting set mounting between struts	Set 2 pc 443.3380.000
 	LED 35/50, connector for assembly on mitre continuously adjustable	443.3373.070
	LED Basic-Tape 2 600 LED, 40 W with connection cable 2,5 m cw = cold white ("meat") ww = warm white	5000mm cw 045.5086.080 5000mm ww 045.5087.080
	LED Power-Stick T Bright Colour "Bread" 24 V 200 mm = 4 W 300 mm = 6 W 900 mm = 18 W	200 mm 045.5010.087 300 mm 045.5011.087 900 mm 045.5009.087
	Connecting cable LED Power-Stick T	30 mm 045.5071.080

Picture	Product	Part number
	<p>Supply cable Power-Stick T</p>	<p>2500 mm 045.5061.080</p>
	<p>LED transformer 24V, lead 2m 12-fold distributor also available 100 W, 150 W</p>	<p>30 W 045.5091.080 60 W 045.5081.080 75 W 045.5092.080 200 W 045.5082.080</p>

